

Table 16.3 Quality control constants table

Subgroup size	A_2	d_2	D_3	D_4
2	1.88	1.128	-	3.268
3	1.023	1.693	-	2.574
4	0.729	2.059	-	2.282
5	0.577	2.326	-	2.114
6	0.483	2.534	-	2.004
7	0.419	2.704	0.076	1.924
8	0.373	2.847	0.136	1.864
9	0.337	2.97	0.184	1.816
10	0.308	3.078	0.223	1.777
11	0.285	3.173	0.256	1.744
12	0.266	3.258	0.283	1.717
13	0.249	3.336	0.307	1.693
14	0.235	3.407	0.328	1.672
15	0.223	3.472	0.347	1.653
16	0.212	3.532	0.363	1.637
17	0.203	3.588	0.378	1.622
18	0.194	3.64	0.391	1.608
19	0.187	3.689	0.403	1.597
20	0.18	3.735	0.415	1.585
21	0.173	3.778	0.425	1.575
22	0.167	3.819	0.434	1.566
23	0.162	3.858	0.443	1.557
24	0.157	3.895	0.451	1.548
25	0.153	3.931	0.459	1.541