

Figure 3-7 Frequency Distribution of an Interval-level Variable

ftgr_fedgov POST: Feeling thermometer: FEDERAL GOVERNMENT IN WASHINGTON					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	511	8.6	9.4	9.4
	1	10	.2	.2	9.6
	2	11	.2	.2	9.8
	3	5	.1	.1	9.9
	4	9	.1	.2	10.0
	5	33	.6	.6	10.6
	6	1	.0	.0	10.6
	7	1	.0	.0	10.7
	9	0	.0	.0	10.7
	10	90	1.5	1.6	12.3
	12	0	.0	.0	12.3
	15	448	7.6	8.2	20.6
	16	0	.0	.0	20.6
	20	56	.9	1.0	21.6
	22	2	.0	.0	21.6
	23	2	.0	.0	21.7
	25	50	.8	.9	22.6
	27	3	.0	.1	22.6
	30	608	10.3	11.2	33.8
	32	1	.0	.0	33.8
	33	3	.1	.1	33.9
	34	1	.0	.0	33.9
	35	59	1.0	1.1	35.0
	38	2	.0	.0	35.0
	39	0	.0	.0	35.0
	40	979	16.5	18.0	53.0
	42	1	.0	.0	53.0
	43	6	.1	.1	53.1
	44	2	.0	.0	53.2
	45	84	1.4	1.5	54.7
	47	6	.1	.1	54.8
	48	2	.0	.0	54.8
	49	3	.1	.1	54.9
	50	832	14.1	15.3	70.2
	51	3	.0	.1	70.2
	52	2	.0	.0	70.3
	53	2	.0	.0	70.3
	55	51	.9	.9	71.2
	58	1	.0	.0	71.3
	59	3	.0	.0	71.3
	60	660	11.2	12.1	83.4
	61	2	.0	.0	83.4
	62	0	.0	.0	83.5
	65	53	.9	1.0	84.4
	67	1	.0	.0	84.4
	68	2	.0	.0	84.5
	69	2	.0	.0	84.5
	70	411	6.9	7.5	92.1
	73	0	.0	.0	92.1
	75	67	1.1	1.2	93.3
	77	1	.0	.0	93.3
	78	1	.0	.0	93.3
	80	54	.9	1.0	94.3
	84	3	.0	.1	94.4
	85	214	3.6	3.9	98.3
	87	0	.0	.0	98.3
	88	0	.0	.0	98.3
	89	1	.0	.0	98.3
	90	11	.2	.2	98.5
	95	1	.0	.0	98.5
	97	1	.0	.0	98.6
	100	79	1.3	1.4	100.0
	Total	5444	92.0	100.0	
Missing	System	472	8.0		
Total		5916	100.0		