

**Figure 7.3** Defining Variable Properties for Party Identification

Define Variable Properties

Scanned Variable List

Un...	Me...	Role	Variable
<input type="checkbox"/>			PartyID

Current Variable: PartyID Label: ty ID: Does R think of self as Dem, Rep, Ind or what

Measurement Level: Nomi...

Type: Numeric Width: 2 Decimals: 0

Role: Input

Unlabeled values: 0

Value Label grid: Enter or edit labels in the grid. You can enter additional values at the bottom.

	Changed	Missing	Count	Value	Label
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12	-9	-9. Refused
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	24	-8	-8. Don't know
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	977	1	1. Democrat
4	<input type="checkbox"/>	<input type="checkbox"/>	432	2	2. Republican
5	<input type="checkbox"/>	<input type="checkbox"/>	714	3	3. Independent
6	<input type="checkbox"/>	<input type="checkbox"/>	23	4	4. Other party (SPECIFY)
7	<input type="checkbox"/>	<input type="checkbox"/>	141	5	5. No preference (VOL)
8	<input type="checkbox"/>	<input type="checkbox"/>			

Cases scanned: 2323

Value list limit: 200

Copy Properties

Unlabeled Values